



qbo 31 arco





Luminarias curvas técnico-decorativas, fabricadas a partir de curvar nuestro perfil **qbo** 31x31. Luminarias sencillas que dotan los espacios de cualquier tamaño, geometría o estilo un carácter singular. Existe la posibilidad de instalarlas como aplique de pared, suelo o techo de esta manera permite iluminar en todas las direcciones y escalas de un espacio y a su vez adaptarse a todo tipo de proyectos. Disponible en distintos acabados, temperaturas de color, CRI bajo pedido.

*Technical-decorative curved luminaires, made up by curving 31x31 **qbo** profile. Simple luminaires that provide spaces of any size, geometry or style a singular character. There is the possibility of installing them in a wall, floor or ceiling allowing to illuminate in all directions and scales of a space and at the same time adapt to all types of projects. Available in different finishes, color temperatures, CRI on request.*

# 31 arco R500

qbo

Luminaria tipo aplique de pared curvo, compuesta por perfil 31x31 de aluminio extruido con acabado anodizado de 20 micras, difusores mate curvos con tira de led 19,2W 2700K Ra90 IP20 340lm (otras temperaturas de color y Ra bajo pedido).


Equipo remoto en versión DALI

Equipo incluido en la luminaria en versión on-off

*Curved wall luminaire, composed by profile 31x31, 20 micron anodized extruded aluminium profile, diffuser curve frosted with led strip 19,2W 2700k Ra 90 IP20 340lm (other color temperatures and CRI under request).*

*Remote driver in DALI version*

*Driver included inside the luminaire for on-off version*




# 31 arco R500

qbo

COD.	DESC.
31ARCO04279002.R500	31 ARCO LUMINAIRE 4W 2700K RA90 BRASS R500MM
31ARCO04279002D.R500	31 ARCO LUMINAIRE 4W 2700K RA90 BRASS DALI R500MM
31ARCO04279020.R500	31 ARCO LUMINAIRE 4W 2700K RA90 CORTEN STEEL R500MM
31ARCO04279020D.R500	31 ARCO LUMINAIRE 4W 2700K RA90 CORTEN STEEL DALI R500MM
31ARCO04279021.R500	31 ARCO LUMINAIRE 4W 2700K RA90 GUNMETAL R500MM
31ARCO04279021D.R500	31 ARCO LUMINAIRE 4W 2700K RA90 GUNMETAL DALI R500MM



Diferentes acabados disponibles bajo pedido  
*Other finishes available on request*



# 31 arco R1000

qbo

Luminaria /aplique de pared curvo, compuesta por perfil de aluminio extruido con acabado anodizado de 20 micras, difusores mate curvos con tira de led 19,2W 2700K Ra90 IP20 340lm (otras temperaturas de color y Ra bajo pedido).


Equipo remoto en versión DALI

Equipo incluido en la luminaria en versión on-off.

*Curved wall luminaire, composed by: 20 micron anodized extruded aluminium profile, diffuser curve frosted with led strip 19,2W 2700k Ra 90 IP20 40lm (other color temperatures and CRI under request).*

*Remote driver in DALI version*

*Driver included inside the luminaire for on-off version.*




# 31 arco R1000

qbo

COD.	DESC.
31ARCO04279002.R1000	31 ARCO LUMINAIRE 4W 2700K RA90 BRASS R1000MM
31ARCO04279002D.R1000	31 ARCO LUMINAIRE 4W 2700K RA90 BRASS DALI R1000MM
31ARCO04279020.R1000	31 ARCO LUMINAIRE 4W 2700K RA90 CORTEN STEEL R1000MM
31ARCO04279020D.R1000	31 ARCO LUMINAIRE 4W 2700K RA90 CORTEN STEEL DALI R1000MM
31ARCO04279021.R1000	31 ARCO LUMINAIRE 4W 2700K RA90 GUNMETAL R1000MM
31ARCO04279021D.R1000	31 ARCO LUMINAIRE 4W 2700K RA90 GUNMETAL DALI R1000MM



Diferentes acabados disponibles bajo pedido  
*Other finishes available on request*




# 31 arco R1000+ayer micro

qbo

Luminaria /aplique de pared curvo, compuesta por perfil de aluminio extruido con acabado anodizado de 20 micras, difusores mate curvos con iluminación indirecta tira de led 19,2W 2700K Ra80 IP20 1900 lm y proyectores orientables Ayer micro negros.  
Disponible en otras temperaturas de color y CRI  
Equipo remoto en versión DALI  
Equipo incluido en la luminaria en versión on-off.

*Curved wall luminaire, composed by: 20 micron anodized extruded aluminium profile, diffuser curve frosted with indirect light led strip 19,2W Ra80 2700k IP20 1900lm and orientable projectors Ayer micro  
Remote driver DALI version  
Drive included inside the luminaria or on-off version.*






# 31 arco R1000+ayer micro

qbo

COD.	DESC.
31ARCOAYMC332278002.R1000	31ARCO + AYER MICRO LUMINAIRE 33,2W 2700K RA80 BRASS R1000MM
31ARCOAYMC332278002D.R1000	31ARCO + AYER MICRO LUMINAIRE 33,2W 2700K RA80 BRASS DALI R1000MM
31ARCOAYMC332278020.R1000	31ARCO + AYER MICRO LUMINAIRE 33,2W 2700K RA80 CORTEN R1000MM
31ARCOAYMC332278020D.R1000	31ARCO + AYER MICRO LUMINAIRE 33,2W 2700K RA80 CORTEN R1000MM
31ARCOAYMC332278021.R1000	31ARCO + AYER MICRO LUMINAIRE 33,2W 2700K RA80 GUNMETAL R1000MM
31ARCOAYMC3322780021R1000	31ARCO + AYER MICRO LUMINAIRE 33,2W 2700K RA80 GUNMETAL R1000MM



Diferentes acabados disponibles bajo pedido  
*Other finishes available on request*



Las luminarias son totalmente personalizables en cuanto a medidas, emisión de luz, acabados, opciones de protección IP, posibilidad de añadir proyectores orientables o suspendidos (Ayer micro, Ayer mini, LT...)


Hay que tener en cuenta algunas limitaciones en la fabricación de la propia luminaria a la hora de diseñar una pieza customizable, como por ejemplo la curvatura mínima que se puede curvar, que es de diámetro 1000mm.

Es una luminaria versátil que permite adaptarse a distintos usos, espacios, geometrías, alturas...

*The luminaires are fully customizable in terms of measurements, light emission, finishes, IP protection options, possibility of adding orientable or suspended projectors (ayer micro and mini, LT ...)*

*You have to take into account some limitations in the manufacture of the luminaire itself when designing a customizable piece, such as the minimum curvature that can be curved, which is diameter 1000mm*



*It is a versatile luminaire that adapts to different uses, spaces, geometries, heights ...*



EXTERIOR USE

31 arco CUSTOM

qbo



INTERIOR USE

